Little Rock
Rogers
Jonesboro
Austin
MitchellWilliamsLaw.com

Mitchell, Williams, Selig, Gates & Woodyard, P.L.L.C.



Walter Wright, Jr. wwright@mwlaw.com (501) 688.8839

Storm Water Enforcement: Mississippi Department of Environmental Quality and Tunica, Mississippi Facility Enter into Agreed Order to Address Alleged Violations

Arkansas Environmental, Energy, and Water Law Blog

08/18/2016

The Mississippi Department of Environmental Quality ("DEQ") and Drexel Chemical Company ("Drexel") entered into a July 19th Agreed Order ("AO") to address alleged violations of a Clean Water Act National Pollution Discharge Elimination System ("NPDES") permit. See Order No. 6673 16.

Drexel is stated to operate a facility in the Tunica Industrial Park in Tunica, Mississippi.

DEQ conducted a Compliance Evaluation and Inspection ("CEI") on June 30, 2015 at the Drexel facility. The AO alleges that certain violations were identified by the CEI which include:

- Failure to maintain an up-to-date Storm Water Pollution Prevention Plan ("SWPPP") at the facility
 and to submit any revisions of the SWPPP to DEQ as required by Condition T-14 within NPDES Permit
 No. MS0037261
- Failure to monitor the "Chemical Oxygen Demand" during the second quarter of 2012 as required by Conditions L-3 and T-17 of NPDES Permit No. MS0037261
- Failure to adhere to the effluent limitations promulgated for Outfall 004 within Condition T-15
 NPDES Permit No. MS0037261 by allowing an unpermitted wastewater stream to co-mingle with storm water and discharge through Outfall 004
- Failure to develop and implement adequate best management practices in order to minimize the
 potential contamination of storm water and prevent contaminated storm water from migrating offsite as required by Condition T-14 within NPDES Permit No. MS0037261

Drexel agrees to a civil penalty of \$12,000.

A copy of the AO can be downloaded here.